3-Benzyl-4-oxo-3,5,7,8-tetrahydro-4H-pyrido[4,3-d]pyrimidine-6-carboxylic acid 2-methoxy-pyridin-4-ylmethyl ester;

3-Benzyl-4-oxo-3,5,7,8-tetrahydro-4H-pyrido[4,3-d]pyrimidine-6-carboxylic acid 3-methoxy-benzyl ester;

3-Benzyl-4-oxo-3,5,7,8-tetrahydro-4H-pyrido[4,3-d]pyrimidine-6-carboxylic acid 4-methoxy-benzyl ester;

3-Benzyl-4-oxo-3,5,7,8-tetrahydro-4H-pyrido[4,3-d]pyrimidine-6-carboxylic acid 4-fluoro-benzyl ester;

3-Benzyl-4-oxo-3,5,7,8-tetrahydro-4H-pyrido[4,3-d]pyrimidine-6-carboxylic acid 4-chloro-benzyl ester;

3-Benzyl-4-oxo-3,5,7,8-tetrahydro-4H-pyrido[4,3-d]pyrimidine-6-carboxylic acid 4-bromo-benzyl ester;

3-Benzyl-4-oxo-3,5,7,8-tetrahydro-4H-pyrido[4,3-d]pyrimidine-6-carboxylic acid 4-iodo-benzyl ester;

3-Benzyl-4-oxo-3,5,7,8-tetrahydro-4H-pyrido[4,3-d]pyrimidine-6-carboxylic acid 4-dimethylamino-benzyl ester; and

3-Benzyl-4-oxo-3,5,7,8-tetrahydro-4H-pyrido[4,3-d]pyrimidine-6-carboxylic acid 4-methylsulfanyl-benzyl ester; or

a pharmaceutically acceptable salt thereof.

Claim 10 (original). A pharmaceutical composition, comprising a compound according to Claim 1, or a pharmaceutically acceptable salt thereof, admixed with a pharmaceutically acceptable carrier, excipient, or diluent.

Claim 11 (currently amended). ~~The~~ A pharmaceutical composition ~~according to Claim 10,~~ according to comprising a compound ~~according to~~ as in Claim 7 or 9, or a pharmaceutically acceptable salt thereof, admixed with a pharmaceutically acceptable carrier, excipient, or diluent.

EX A

Claim 12 (original). A method for treating arthritis, comprising administering to a patient suffering from an arthritis disease a nontoxic antiarthritic effective amount of a compound according to Claim 1, or a pharmaceutically acceptable salt thereof.

Claim 13 (original). The method according to Claim 12, wherein the arthritis is osteoarthritis or rheumatoid arthritis.

rewrite

Claim 14 (currently amended). The method according to Claim 13, wherein the compound according to Claim 1 is a compound ~~according to~~ as in Claim 7 or 9.

Ex A

Claim 15 (new). The compound according to Claim 1, wherein Q is $CH(R^5)C(O)$.

Claim 16 (new). The compound according to Claim 1, wherein R^1 is substituted phenyl-(C_1-C_8 alkylenyl).



R is H or C_1-C_6 alkyl;

G is CH_2; O, S, S(O); or $S(O)_2$;

m is an integer of 0 or 1;

Y^1 is ~~CH_2, C(O), or $S(O)_2$~~;

~~Y^2 is C(O);~~

~~Y^3 is $N(R^4)$; or~~

Y^2 and Y^3 ~~may be taken~~ are taken together to form a diradical group ~~selected from~~:

EX 1-1



;

R^3 is independently selected from the groups:

H;

CH_3;

CH_3O;

$CH{=}CH_2$;

HO;

CF_3;

CN;

F; and

Cl;

R^4 is independently selected from the groups:

H;

CH_3;

CH_3O;

HO;

CF_3; and

CN; and

wherein R^4 is bonded to a carbon atom, R^4 may further independently be

halo or CO_2H;

Q is selected from:

OC(O);

$CH(R^5)C(O)$;

~~$OC(NR^5)$;~~

$CH(R^5)C(NR^5)$;

~~$N(R^5)C(O)$;~~

~~$N(R^5)C(S)$;~~

~~$N(R^5)C(NR^5)$;~~

$CH_2N(R^5)$;

~~SC(O);~~

$CH(R^5)C(S)$;

~~$SC(NR^5)$;~~